

KLIMA I ŽIVOTNA SREDINA

Izvori i metode prikupljanja podataka

Podaci o meteorološkim i hidrološkim pojavama (temperatura i vlažnost vazduha, padavine, oblačnost, dani sa kišom, snijegom i vjetrom, vedri i oblačni dani) zabilježeni na pojedinim meteorološkim odnosno hidrološkim stanicama preuzeti su od Zavoda za hidrometeorologiju i seismologiju Crne Gore.

Definicije

U Crnoj Gori su, zbog konfiguracije terena i blizine mora, zastupljeni sljedeći klimatski tipovi:

- a) rukovodeći se klasifikacijom na osnovu padavinskog režima: maritimni, kontinentalni, umjereno kontinentalni i planinski. Maritimni tip karakterišu dva veoma izražena maksimuma padavina (obično jesenji i prolječni) dok ostale tipove karakteriše jedan maksimum osmotren u jesen.
- b) po klasifikaciji na osnovu temperature: modifikovani suptropski, umjereno kontinentalni, kontinentalni i planinski.
- c) planinski.

Osmatranje, mjerjenje i prikupljanje ovih podataka vrši se preko stanica u okviru Zavoda za hidrometeorologiju i seismologiju Crne Gore, na osnovu Pravnih pravila o utvrđivanju mreža i programa rada i načina osmatranja meteoroloških stanica od interesa za Crnu Goru.

Relativna vlažnost vazduha izražena je u procentima (%). Podaci o srednjoj dnevnoj temperaturi se odnose na srednje mjesecne vrijednosti, koje su izračunate na osnovu mjerjenja svakog dana u 7,14 i 21 čas po lokalnom vremenu, prema formuli:

$$(t7+t14+2 t21)/4$$

Maksimalna dnevna temperatura je najviša temperatura izmjerena za 24 sata (obično se dostiže u ranim popodnevnim satima u zimskom periodu, oko 16 časova u ljetnjem periodu). Minimalna dnevna temperatura je najniža temperatura izmjerena za 24 h (obično u jutarnjim satima). Temperature se izražavaju u stepenima Celsiusa (C°).

Godišnja srednja vrijednost izračunata je na isti način. Podaci o padavinama se odnose na mjesecnu i godišnju količinu padavina izraženu u mm i izmjerenu u odnosnoj staniči. Broj dana s kišom i sniježnim pokrivačem predstavlja dane u kojima su naznačene pojave iznosile najmanje 0,1mm. Podaci o oblačnosti dobijeni su mjerjenjem, gdje se vedri i oblačni dani definišu u odnosu na parametar N - srednja dnevna oblačnost u desetinama pokrivenosti neba oblacima. Ukoliko je Parametar N > 8/10 u pitanju je oblačan dan. Ukoliko je Parametar N između 2/10 i 8/10 u pitanju je tmuran dan.

Podaci o *jačini vjetra* dobijeni su mjerjenjem pomoću Boforove skale, a izraženi su sa 0-12 Bofora. Vrijednost 0 označava tišinu, a 12 olujne vjetrove.

Vodoprivreda

Izvori i metode prikupljanja podataka

Podaci o statističkim istraživanjima iz oblasti vodoprivrede dobijeni su redovnim godišnjim izvještajima koje podnose preduzeća iz oblasti industrije i rudarstva, poljoprivrede, komunalne djelatnosti i skupština opština koje upravljaju javnim vodovodom i javnom kanalizacijom, na osnovu raspoložive evidencije, dokumentacije ili stručne procjene.

Podaci o *sistemima za navodnjavanje* prikupljaju se redovnim godišnjim izvještajima od poljoprivrednih preduzeća.

CLIMATE AND ENVIRONMENT

Sources and methods of data collection

Hydro-meteorological data (temperature and air humidity, flows and precipitations, cloudiness, rainy days, snowy days, windy days, cloudy days) are taken over from the Hydro-meteorological Institute of Montenegro while monitoring, recording and collection of these data have been carried out by Institute for Hydrometeorology and Seismology of Montenegro.

Definitions

Due to terrain configuration and vicinity of the sea, the following climate types are present in Montenegro:

- a) Based on classification by precipitation: maritime, continental, moderate-continental and mountain climate. Maritime type is characterized by two very strong maximum precipitations (usually in autumn and spring) while other types are characterized by one maximum recorded in autumn.
- b) Based on classification by temperature: modified subtropical, moderate continental, continental, and
- c) Mountain climate.

Observation, measuring and collection of data have been carried out by hydro-meteorological stations within Institute for Hydrometeorology and Seismology of Montenegro according to the Regulations on establishment of network and work programme as well as observation methods of meteorological stations.

Relative air humidity is expressed in percents (%). Data about average daily temperature refer to average monthly values calculated from everyday records at 7.14 a.m. and 21.00 p.m. (local time), according to the following formula:

$$(t7+t14+2 t21)/4$$

Maximum daily temperature is the highest temperature measured during the period of 24 hours (usually reached in early afternoon hours of winter days and around 16.00 p.m. of summer days). *Minimum daily temperature* is the lowest temperature measured during the period of 24 hours (usually in the mornings). Temperature is expressed in Celsius degrees (C°).

Average annual value has been calculated in the same way. The precipitation data relate to monthly and annual precipitation quantities expressed in mm and measured by corresponding station. Number of days with rain and snow cover represent the days where these occurrences were at least 0,1mm. The cloudiness data are result of measuring, which is clear and cloudy days are defined in relation to a parameter N - mean daily cloudiness in tenths of coverage of the sky by clouds. If the parameter N > 8/10 it is a cloudy day. If the parameter N between 2/10 and 8/10 it is a gloomy day.

Wind force data are result of measuring by Beaufort scale ranging from 0 to 12, where 0 indicates the calm and 12 indicates the hurricane.

Water Management

Sources and methods of data collection

Water Management data have been collected through regular annual surveys on enterprises and organizations engaged in industry and mining, agriculture, public utility enterprises and municipal assemblies managing public water supply and sewerage system, based on available records, documents or expert's estimates.

Data about *irrigation systems* are collected through regular annual surveys on agricultural enterprises.

Podaci o *javnom vodovodu i javnoj kanalizaciji* prikupljaju se godišnjim izvještajima od komunalnih preduzeća koja upravljaju javnim vodovodom odnosno javnom kanalizacijom u posmatranim naseljima. Od 1990. godine podaci se prikupljaju u trogodišnjoj periodici. Izvještaji se djelimično zasnivaju na evidenciji i dokumentaciji, a dijelom i na procjeni. Podaci o korišćenju voda i zaštiti voda da zagađivanja iz industrije i rудarstva prikupljaju se redovnim godišnjim izvještajima koje dostavljaju preduzeća iz oblasti industrije i rudarstva.

Obuhvat

Podaci o *korišćenju voda* u poljoprivredi, (za navodnjavanje), naseljima, industriji i rudarstvu prikupljaju se od preduzeća koja koriste ili distribuiraju vodu ili upravljaju sistemima.

Ne prikupljaju se podaci o individualnim vodovodima (kućnim), koji služe isključivo određenom domaćinstvu ili grupi domaćinstava i specijalnim vodovodima preduzeća.

Podaci o otpadnim i prečišćenim vodama prikupljaju se od preduzeća koja upravljaju javnom kanalizacijom i preduzeća industrije i rudarstva koja koriste vodu.

Definicije

Zahvatanje vode – kaptaza, obuhvata snabdijevanje vodom javnog vodovoda sa različitim izvorišta uz korišćenje podzemne, izvorske i površinske vode.

Pod *dužinom glavnog dovoda* podrazumijeva se dužina cijevi za dovod vode od kaptiranog izvorišta do rezervoara, odnosno do uređaja za prečišćavanje vode za piće ili od izvorišta – kaptaze do prvog kraka razvodne mreže (ukoliko rezervoar ne postoji), i dužina cjevovoda između rezervoara na kojima nema priključaka (kod sistema sa više rezervoara). Isto tako se prikazuje i dužina cjevovoda između naselja snabdijevača i naselja potrošača na kojima nema priključaka (kod sistema skupnog, odnosno regionalnog vodovoda).

Pod *dužinom razvodne mreže* podrazumijeva se dužina vodovodne mreže koja se pruža od rezervoara do mjesta potrošnje, bez dužine priključaka i mreže u zgradama.

Korišćene vode su sve neposredno zahvaćene i obezbijedene količine vode kojima se preduzeće u toku izvještajne godine snabdijevalo, bez obzira da li su te količine korišćene za vlastite potrebe ili su ustupljene, prodane drugim korisnicima. Uzete količine vode utvrđuju se vodomjerom, a gdje ih nema, izračunavaju se prema normativima za određenu granu djelatnosti.

Ako se jedna površina u toku godine navodnjava dva ili više puta iskazana je samo jednom, i to kada je navodnjavana najveća površina.

Otpadne vode su količine vode koje se poslije korišćenja tretiraju kao otpadne (odbačene) vode i odvode do uređaja za prečišćavanje ili ispuštanju u prostor (u podzemne ili površinske vode).

U količine otpadnih voda nijesu uključene atmosferske vode, kao ni protočne vode (npr. koje pokreću hidroelektrane). Količine otpadnih voda industrije i rudarstva utvrđuju se vodomjerom. Ukoliko preduzeće ne posjeduje vodomjer, količine otpadnih voda se procjenjuju po utvrđenim normativima proizvodnje.

Precistiti otpadnu odnosno zagađenu upotrijebljenu vodu, znači u dozvoljenom stepenu osloboditi je opasnih i štetnih materija i radionukleida koji su se u njoj pojavili i učiniti je neškodljivom za korišćenje.

Pod *dužinom sabirne kanalizacione mreže* podrazumijeva se dužina zatvorenih uličnih kanala za odvođenje otpadnih i atmosferskih voda, bez dužine priključaka i mreže po kućama.

Pod *glavnim kolektorm* podrazumijeva se sabirni kanal koji odvodi otpadnu vodu iz jednog dijela ili cijelog naselja do postrojenja za prečišćavanje ili recipijenta.

Data on *public water supply and sewerage systems* are obtained through regular annual surveys on public utility enterprises managing the public water supply and sewerage systems in certain localities. As of 1990, the data have been collected on a three-year basis. They are partly based on records and documentation and partly on estimates. Data on water use and protection against water pollution in industry and mining are collected through regular annual surveys on industrial and mining enterprises.

Coverage

Data about *use of water* in agriculture (for irrigation), localities, industry and mining are collected from all enterprises using or distributing water or managing public water supply systems.

Data about individual waterworks (household supply) used exclusively by a certain household or group of households have not been collected as well as data about special water supply systems owned by enterprises.

Data about waste and purified waters are collected from all enterprises managing the public sewerage systems as well as industrial and mining enterprises using the water supply.

Definitions

Water capture refers to supply of public waterworks with water from various sources, using underground, spring and surface water.

Length of the main supply pipeline refers to the length of a pipe for water supply from the source to reservoir or to water purification plants as well as from the source to the first pipe of a distribution network (in case a reservoir does not exist). In addition, it refers to the length of pipelines among the reservoirs having no connections (systems with several reservoirs). Finally, it refers to the length of a pipeline between suppliers and consumers localities with no connections (systems with central, i.e. regional water supply systems).

Distribution network length refers to the length of a water supply system from a reservoir to the consumption points, excluding the length of connections and network inside the buildings.

Used waters refer to all directly captured or supplied water quantities of an enterprise during the reference year, regardless of whether these quantities were used for own purposes, ceded or sold to other users. Used water quantities are measured by water gauges or according to the standards defined for each economic activity.

An area irrigated twice or more during the reference year is shown only once: when the largest part was irrigated.

Wastewaters are waters treated as waste after being used and transported to purification plants, or drained out (into underground or surface waters).

Wastewater quantities do not include atmospheric or running waters (used for hydroelectric power stations). The wastewater quantities in industry and mining are measured by water gauges. If an organization has no water gauge, the wastewater quantities are to be estimated according to the defined standards of production.

Purification of waste or polluted water is elimination / removal of dangerous and harmful substances and radionuclide up to certain permitted degree, which makes it clean and ready for use.

Length of the collection sewerage network refers to the length of underground drainage canals for waste and atmospheric waters, excluding the length of connections and network inside the houses.

Main collector is a wastewater collection canal that drains wastewater from one place or whole locality to the purification plants or receptacles.

**2 – 1. SREDNJA MJESEČNA TEMPERATURA
VAZDUHA (°C), 2023.**

**AVERAGE MONTHLY AIR
TEMPERATURE (° C), in 2023**

	Srednja godišnja <i>Average annual</i>	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
Pljevlja	10,2	1,6	-0,4	5,6	6,7	13,6	16,9	21,2	19,4	16,8	13,0	5,7	2,7
Kolašin	9,4	1,7	-0,3	4,8	5,7	12,5	16,1	19,6	18,1	15,7	11,6	5,1	2,3
Nikšić	12,6	4,1	3,3	7,4	9,2	15,3	19,3	23,8	22,1	19,7	14,7	7,5	5,1
Podgorica	17,6	8,8	7,8	12,0	14,2	20,4	24,7	29,6	27,8	25,1	19,7	11,7	9,2
Bar	17,9	10,8	9,2	12,2	14,2	19,9	23,8	27,2	26,4	24,0	20,5	14,8	11,4
Herceg Novi	17,4	9,9	8,7	11,9	14,1	19,5	23,6	27,3	25,9	23,6	19,8	13,4	10,5

Izvor: Zavod za hidrometeorologiju i seismologiju Crne Gore

Source: Institute of Hydrometeorology and Seismology of Montenegro

**2 – 2. MJESEČNA TEMPERATURA
(apsolutno max.) (°C), 2023.**

**MONTHLY TEMPERATURE
(absolute max.) (° C), in 2023**

	Godišnja apsolutno max. <i>Annual absolute max.</i>	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
Pljevlja	35,5	12,2	17,0	22,4	20,3	25,4	35,1	35,5	34,9	31,1	25,1	19,2	17,6
Kolašin	33,6	12,2	16,6	20,9	17,9	24,5	31,5	33,6	33,5	28,6	25,0	18,3	12,5
Nikšić	36,2	15,1	16,2	19,4	19,9	25,8	32,3	36,2	35,7	30,2	27,1	18,8	20,0
Podgorica	40,9	17,1	19,1	23,1	25,4	30,4	35,9	40,9	39,2	33,0	29,7	22,9	20,2
Bar	37,9	17,6	19,5	20,4	21,5	28,8	30,4	37,9	36,9	32,9	29,4	24,3	19,9
Herceg Novi	38,8	17,0	20,3	23,3	24,3	31,1	33,4	38,8	38,6	34,1	30,2	22,8	18,6

Izvor: Zavod za hidrometeorologiju i seismologiju Crne Gore

Source: Institute of Hydrometeorology and Seismology of Montenegro

**2 – 3. MJESEČNA TEMPERATURA
(apsolutno min.) (°C), 2023.**

**MONTHLY TEMPERATURE
(absolute min.) (°C), in 2023**

	Godišnja apsolutno min. <i>Annual absolute min.</i>	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
Pljevlja	-16,5	-4,9	-16,5	-5,6	-3,8	2,7	7,7	7,9	5,4	5,2	2,1	-7,7	-5,3
Kolašin	-14,0	-5,2	-14,0	-5,5	-6,2	2,2	6,1	6,3	4,2	4,6	0,5	-11,8	-6,8
Nikšić	-7,5	-3,6	-7,5	-2,5	-1,7	7,0	10,1	12,6	10,3	9,8	3,3	-4,8	-4,4
Podgorica	-2,2	1,5	-2,2	1,6	4,3	13,3	16,2	18,0	16,7	15,0	7,2	0,2	0,1
Bar	0,1	4,6	0,1	3,5	6,1	12,0	16,7	17,8	17,7	16,6	10,7	4,0	3,4
Herceg Novi	-1,6	2,8	-1,6	0,1	3,5	11,5	15,2	17,1	16,3	14,7	10,8	1,4	2,4

Izvor: Zavod za hidrometeorologiju i seismologiju Crne Gore

Source: Institute of Hydrometeorology and Seismology of Montenegro

2 – 4. MJESEČNE SUME PADAVINA (L / m²), 2023.

MONTHLY PRECIPITATIONS (L / m²), in 2023

	Godišnja suma padavina <i>Annual precipitations</i>	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
Pljevlja	1 157	137	78	47	78	111	162	74	101	77	49	207	38
Kolašin	2 500	511	171	172	180	176	109	41	87	60	130	641	222
Nikšić	2 207	431	139	106	86	218	122	81	211	78	74	518	144
Podgorica	1 939	348	89	155	123	149	57	34	192	64	138	490	100
Bar	1 300	234	26	138	64	93	65	40	170	39	88	245	98
Herceg Novi	1 889	320	49	160	152	213	46	91	261	58	94	354	92

Izvor: Zavod za hidrometeorologiju i seismologiju Crne Gore

Source: Institute of Hydrometeorology and Seismology of Montenegro

**2 – 5. SREDNJA MJESEČNA RELATIVNA
VLAŽNOST VAZDUHA (%), 2023.**

**AVERAGE MONTHLY RELATIVE
AIR HUMIDITY (%), in 2023**

	Srednja godišnja <i>Average annual</i>	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
Pljevlja	78	90	79	72	76	78	81	69	72	74	77	84	85
Kolašin	81	87	79	77	78	80	82	74	76	78	83	90	87
Nikšić	...	81	66	53	59	60	73	82	77
Podgorica	61	73	58	64	57	60	57	46	51	51	65	78	75
Bar	70	71	62	71	68	73	74	68	67	66	73	74	76
Herceg Novi	73	80	69	74	70	75	72	63	68	66	76	81	83

Izvor: Zavod za hidrometeorologiju i seismologiju Crne Gore

Source: Institute of Hydrometeorology and Seismology of Montenegro

2 – 6. SREDNJA MJESEČNA OBLAČNOST (u desetinama), 2023.

AVERAGE MONTHLY CLOUDINESS, in 2023

	Srednja godišnja Average annual	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
Pljevlja	6,3	8,2	5,9	6,2	8,1	7,5	6,9	3,3	4,8	5,1	5,7	7,2	6,9
Kolašin	5,9	7,3	5,5	6,2	7,3	7,3	6,1	2,4	4,1	4,9	6,0	7,9	6,4
Nikšić	5,3	5,6	4,5	5,4	7,0	6,9	5,7	2,0	3,8	4,1	5,0	7,5	6,1
Podgorica	4,6	5,4	3,6	4,9	5,7	6,0	5,0	1,4	2,7	3,3	4,1	6,8	5,6
Bar	4,3	5,5	3,4	4,8	5,3	5,7	4,2	1,0	2,5	2,9	4,0	6,5	5,6
Herceg Novi	4,2	5,4	3,5	4,7	5,4	5,6	3,9	1,0	2,6	2,9	4,2	6,6	5,1

Izvor: Zavod za hidrometeorologiju i seismologiju Crne Gore

Source: Institute of Hydrometeorology and Seismology of Montenegro

2 – 7. BROJ DANA SA KIŠOM
(količina padavina $\geq 0,1 \text{ l/m}^2$), 2023.NUMBER OF RAINY DAYS
(rainfalls $\geq 0,1 \text{ l/m}^2$), in 2023

	Godišnje Annual	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
Pljevlja	160	16	11	10	22	19	21	8	9	9	7	18	10
Kolašin	186	19	13	19	16	23	20	4	8	10	13	27	14
Nikšić	146	12	7	11	13	17	14	7	13	6	10	23	13
Podgorica	128	13	6	12	11	14	11	3	7	6	9	23	13
Bar	115	13	5	15	10	13	8	1	6	4	8	24	8
Herceg Novi	134	13	8	13	13	14	7	2	10	7	11	23	13

Izvor: Zavod za hidrometeorologiju i seismologiju Crne Gore

Source: Institute of Hydrometeorology and Seismology of Montenegro

2 – 8. MAKSIMALNA VISINA SNIJEŽNOG POKRIVAČA (cm), 2023.

MAXIMUM SNOW DEPTH (cm), in 2023

	Godišnja maksimalna visina Annual maximum depth	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
Pljevlja	34	28	34	19	8	-	-	-	-	-	-	19	2
Kolašin	47	47	38	18	9	-	-	-	-	-	-	14	15
Nikšić	21	21	-	-	-	-	-	-	-	-	-	1	2
Podgorica	-	-	-	-	-	-	-	-	-	-	-	-	-
Bar	-	-	-	-	-	-	-	-	-	-	-	-	-
Herceg Novi	-	-	-	-	-	-	-	-	-	-	-	-	-

Izvor: Zavod za hidrometeorologiju i seismologiju Crne Gore

Source: Institute of Hydrometeorology and Seismology of Montenegro

2 – 9. BROJ DANA SA SNIJEŽnim POKRIVAČEM >=1 cm, 2023.

NUMBER OF DAYS WITH SNOW DEPT >=1 cm, in 2023

	Godišnje Annual	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
Pljevlja	52	14	21	6	3	-	-	-	-	-	-	6	2
Kolašin	83	13	28	10	6	-	-	-	-	-	-	5	21
Nikšić	13	10	-	-	-	-	-	-	-	-	-	1	2
Podgorica	-	-	-	-	-	-	-	-	-	-	-	-	-
Bar	-	-	-	-	-	-	-	-	-	-	-	-	-
Herceg Novi	-	-	-	-	-	-	-	-	-	-	-	-	-

Izvor: Zavod za hidrometeorologiju i seismologiju Crne Gore

Source: Institute of Hydrometeorology and Seismology of Montenegro

2 – 10. BROJ DANA SA JAKIM VJETROM
(6 i 7 bof.), 2023.NUMBER OF DAYS WITH STRONG WIND
(6 & 7 Beauf.), in 2023

	Godišnje Annual	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
Pljevlja	83	3	5	11	9	10	5	6	6	9	8	8	3
Kolašin	94	9	9	9	10	7	6	3	10	7	10	8	6
Nikšić	98	7	8	8	4	2	14	12	16	7	9	7	4
Podgorica	105	7	4	6	11	16	10	10	11	10	9	7	4
Bar	85	13	10	6	6	6	6	4	7	8	5	5	9
Herceg Novi	50	4	4	6	5	5	1	-	3	4	6	9	3

Izvor: Zavod za hidrometeorologiju i seismologiju Crne Gore

Source: Institute of Hydrometeorology and Seismology of Montenegro

2 – 11. BROJ DANA SA OLUJNIM VJETROM
(≥ 8 bof.), 2023.NUMBER OF DAYS WITH STORM WIND
(≥ 8 Beauf.), in 2023

	Godišnje Annual	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
Pljevlja	15	2	1	-	-	-	1	2	1	1	2	3	2
Kolašin	17	2	3	1	2	-	-	1	-	1	-	4	3
Nikšić	38	-	1	2	2	1	-	2	4	3	5	12	6
Podgorica	68	9	10	6	8	2	3	2	6	6	3	7	6
Bar	63	9	5	6	7	3	1	1	5	4	3	15	4
Herceg Novi	12	5	1	1	-	-	-	-	1	1	-	1	2

Izvor: Zavod za hidrometeorologiju i seismologiju Crne Gore

Source: Institute of Hydrometeorology and Seismology of Montenegro

2 – 12. BROJ VEDRIH DANA
(N < 2/10 pokrivenosti neba oblacima), 2023.NUMBER OF CLEAR DAYS
(N < 2/10 of coverage of the sky by clouds), in 2023

	Godišnje Annual	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
Pljevlja	34	1	5	5	-	-	1	10	4	6	1	-	1
Kolašin	57	3	9	5	-	-	5	16	7	6	2	-	4
Nikšić	69	6	7	7	1	1	4	17	6	7	5	2	6
Podgorica	100	7	10	7	2	1	6	24	15	11	7	4	6
Bar	129	7	13	10	4	4	11	25	18	13	13	4	7
Herceg Novi	...	7	15	9	3	3	...	25	16	13	9	...	7

Izvor: Zavod za hidrometeorologiju i seismologiju Crne Gore

Source: Institute of Hydrometeorology and Seismology of Montenegro

2 – 13. BROJ OBLAČNIH DANA
(N > 8/10 pokrivenosti neba oblacima), 2023.

NUMBER FOVERCAST DAYS
(N > 8/10 of coverage of the sky by clouds), in 2023

	Godišnje Annual	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
Pljevlja	138	22	12	12	19	17	13	1	2	5	6	15	14
Kolašin	115	19	9	12	11	13	10	2	1	2	7	17	12
Nikšić	96	10	7	9	12	10	7	-	2	1	6	20	12
Podgorica	69	9	6	7	7	9	6	-	-	1	3	13	8
Bar	74	11	4	7	7	8	6	1	1	1	5	15	8
Herceg Novi	...	9	3	7	6	8	...	-	-	2	5	...	8

Izvor: Zavod za hidrometeorologiju i seismologiju Crne Gore

Source: Institute of Hydrometeorology and Seismology of Montenegro

**2 – 14. KORIŠĆENJE I ZAŠTITA VODA
U NASELJIMA**

**USE AND PROTECTION OF WATERS
IN LOCALITIES**

hilj.m ³	2011	2014	2017	2020	2023	thous. m ³
SNABDIJEVANJE NASELJA VODOM / WATER SUPPLY IN LOCALITIES						
Zahvaćene količine vode iz:	109 449	110 301	119 048	121 319	151 141	Water quantities captured from:
Podzemnih i izvorskih voda	88 490	88 950	93 140	97 341	130 254	Underground and spring waters
Površinskih voda	2 577	1 950	2 000	1 854	1 780	Surface waters
Drugih vodovodnih sistema	18 382	19 401	23 908	22 124	19 083	From other waterworks
Potrošene količine vode	49 677	45 462	47 690	46 797	62 410	Water quantities consumed
Dužina mreže javnog vodovoda, km	4 272	4 857	5 387	5 482	4 922	Length of public water supply system, km
Glavnog dovoda	950	840	1 167	1 233	930	Main water supply pipeline
Razvodne mreže	3 322	4 017	4 220	4 249	3 992	Water distribution network
ZAŠTITA VODA / WATER PROTECTION						
Otpadne količine vode iz naselja ¹⁾	30 501	31 029	20 417	26 235	28 837	Waste water quantities, from localities ¹⁾
Prečišćene količine vode iz naselja	8 642	9 482	11 564	20 669	12 551	Purified water quantities from localities
Dužina mreže javne kanalizacije, km	1 138	1 295	1 530	1 715	1 791	Length of public sewerage system, km
Sabirne mreže	956	1 090	1 237	1 302	1 396	Collection network
Glavnog kolektora	182	205	293	413	395	Main collector

¹⁾ Bez atmosferskih voda¹⁾ Atmospheric waters not included

**2 – 15. KORIŠĆENJE I ZAŠTITA VODA
U INDUSTRiji**
**USE AND PROTECTION OF WATERS
IN INDUSTRY**
hilj. m³thous. m³

	2019	2020	2021	2022	2023	
SNABDIJEVANJE VODOM / WATER SUPPLY						
Korišćene količine vode	2 496 377	2 220 003	2 963 909	4 156 462	6 139 624	Used water quantities
Iz javnog vodovoda	932	803	641	341	421	From public water supply system
Iz sopstvenog vodozahvata	2 495 445	2 219 200	2 963 268	4 156 121	6 139 203	From own water supply system
Iz podzemnih i izvorskih voda	2 748	2 536	2 500	1 391	2781	From underground and spring waters
Iz površinskih voda	2 492 697	2 216 664	2 960 768	4 154 730	6 136 422	From surface waters
Potrošene količine vode	2 496 179	2 219 870	2 963 783	4 156 463	6 139 602	Consumed water quantities
Za proizvodnju (bez HE)	3 547	3 182	2 988	1 859	3 133	For production (without HE PS)
Za sanitarnе potrebe	617	549	468	219	232	For sanitary purposes
ZAŠTITA VODA / WATER PROTECTION						
Otpadne količine vode¹⁾	4 261	3 720	3 350	2 590	3 357	Waste water quantities¹⁾
Iz proizvodnje	3 644	3 171	2 882	2 371	3 125	From production
Sanitarne otpadne vode	617	549	468	219	232	Sanitary waste waters
Prečišćene količine vode	2 179	2 056	2 056	1 345	1 363	Purified water quantities

¹⁾ Nijesu uključene protočne vode (kod hidroelektrana i sl.)¹⁾ Running waters excluded (as for HE power stations, etc.)
2 – 16. NAVODNJAVANJE
IRRIGATION

	2019	2020	2021	2022	2023	
Iskorišćene količine vode, hilj. m³						Used water quantities, thous. m³
Iz podzemnih voda	6 750	7 344	8 163	6 706	7 013	From underground waters
Iz površinskih voda	71	9	8	28	28	From surface waters
Potrošene količine vode, hilj. m³	6 620	7 352	8 171	7 334	7 644	Water quantities consumed, mill. m³
Ukupno navodnjavane površine, ha	2 364	2 447	2 466	2 482	2 490	Total area irrigated, ha
Površinskim načinom	11	9	9	8	8	Surface irrigation
Vještačkom kišom	517	484	483	323	323	Artificial rain
Kap po kap	1 836	1 954	1 974	2 151	2 159	Drop by drop
Oranice i baštne	30	91	98	99	99	Arable fields and gardens
Voćnjaci	90	113	113	233	277	Orchards
Vinogradni	2 244	2 243	2 243	2 100	2 100	Vineyards
Crpni agregati	47	50	49	48	52	Pumping plants
Cjevovodi, km	244	245	214	215	216	Pipelines, km
Glavni	75	74	55	57	57	Main
Razvodni	169	171	150	149	150	Distributive